



Permeable Pavers

Reinforced Turf and Gravel Systems



High-performance alternative to traditional paving


TuffTrack[®]
Grass Paver

EZ Roll[®]
Grass Paver

EZ Roll[®]
Gravel Paver

TuffTrack[®]

Grass Pavers



86,563 psf
unfilled compressive strength

TuffTrack Grass Pavers are 24 in. x 24 in. rigid panels that easily connect without extra tools. Made of recycled polypropylene, each panel features 120 nested hexagonal cells with 20 connecting clips.

IDEAL APPLICATIONS


- Fire lanes
- Emergency vehicle access roads
- RV & boat access and parking
- Truck & cart washdown areas
- Overflow parking lots

SPECIFICATIONS

TT-24
24 in. x 24 in. x 1.5 in. thick

EZ Roll[®]

Grass Pavers



53,683 psf
unfilled compressive strength

EZ Roll Grass Pavers are a web of interconnected honeycomb cells in a continuous roll. The product is made of recycled HDPE material with UV inhibitors. These pavers are available in pre-assembled rolls, and multiple sections easily connect together with a series of interlocking joints.

IDEAL APPLICATIONS

- Golf cart paths
- Emergency vehicle access roads
- RV & boat access and parking
- Truck & cart washdown areas
- Overflow parking lots

SPECIFICATIONS


EZ4X24
3.96 ft. x 24 ft. x 1 in. thick roll
95.01 square feet total

EZ4X150
3.96 ft. x 152 ft. roll
601.6 square feet total*

*150 ft. +/- 2 ft. for length and 3.96 ft. +/- 1/2 in. for width using 76 panel pairs total

EZ Roll®

Gravel Pavers



53,683 psf
unfilled compressive
strength

EZ Roll Gravel Pavers are engineered using a web of hexagonal cells made of recycled HDPE plastic with UV inhibitors and thermally welded, porous geotextile fabric to prevent migration of base and infill materials while allowing for filtration of runoff. Pavers come in pre-assembled rolls that securely connect together to create an integral paver mat.

IDEAL APPLICATIONS

- Golf cart paths
- Service roads
- Jogging tracks
- Bike paths
- RV & boat access and parking
- Residential driveways
- Parking lots
- Firelanes and emergency vehicle access

SPECIFICATIONS

GP4X150 (Black), GP4X150G (Gray),
GP4X150T (Tan)
Includes 40 Gravel Stakes per roll

3.87 ft. x 149 ft. x 1 in. thick roll
577 square feet total*

* 149 ft. +/- 2 ft. for length and 3.87 ft. +/- 1/2 in. for width using 76 panel pairs total

EZ Marker™

Parking Delineators



Used with EZ Roll Grass and Gravel Pavers, EZ Marker Parking Delineators increase safety and organization by strategically directing parking lot traffic. EZ Marker Parking Delineators are durable, tamper-resistant and built to last. Available in various colors to suit any traffic need.

IDEAL APPLICATIONS

- Manage parking lot traffic
- Guide motorists around hazards
- Grass and gravel parking
- Fire lane access

SPECIFICATIONS

EZMARKER (White)
EZMARKER-B (Blue)
EZMARKER-R (Red)
EZMARKER-Y (Yellow)
2.7 in. hexagonal shape
0.40 in. profile above paver grade

Easy clip-in installation
300 PSI class "C" compressive strength
Molded polypropylene, impact copolymer
Self-cleaning raised dome design
prevents debris from sticking

Permeable Pavers

High performing. Proven durability. Easy installation.

Stormwater Management

An efficient alternative to traditional paving methods, it reduces the amount of runoff by absorbing water into the ground while recharging groundwater and slowing down erosion.

Structural Strength

Engineered for high compressive strength using a web of interconnected hexagonal cells and designed to exceed AASHTO H-20 and H-25 load ratings.

Environmentally Friendly

Responsibly constructed using recycled materials and may contribute to LEED credits.

Enhanced Aesthetics

Grass or gravel surfaces blend with surrounding natural surfaces.

Easy Installation

TuffTrack® Pavers feature an integrated easy-assembly clip that greatly reduces installation time. EZ Roll® products come in large rolls that are easily placed and clipped together.

TuffTrack®


Grass Pavers



Lay it out.



Clip it together.



Fill with soil.

EZ Roll®

Grass Pavers



Roll it out.



Clip it together.



Fill with soil.

EZ Roll®

Gravel Pavers



Roll it out.



Clip it together.



Fill with gravel.



Visit [NDSProfessional.com](https://www.ndsprofessional.com) for technical specifications or to connect with our experts for planning and project support.

© 2023
851 N. Harvard Ave., Lindsay, CA 93247
Phone: 800.726.1994 · 559.562.9888
Fax: 800.726.1998 · 559.562.4488